

Nomenclature Charts

Structural Concepts®

DELIVERING FRESH. ALWAYS.™

ADDENDA® (E.G., CB5282, PC5682)

SERIES	LENGTH	HEIGHT
CB	52"	82"
PC	56"	82"

BLEND® (E.G., NM4855RSSV, NM7255RSSA, NM7255HSSV, NM7255DSSV)

SERIES	CAPACITY	LENGTH	HEIGHT	TEMPERATURE	CABINET	GLASS
N	M (Module)	48"	55"	R (Ref.)	SS (Self-Service)	V (Vertical)
N	M (Module)	72"	55"	R (Ref.)	SS (Self-Service)	A (Angled)
N	M (Module)	72"	55"	H (Hot)	SS (Self-Service)	V (Vertical)
N	M (Module)	72"	55"	D (Dry)	SS (Self-Service)	V (Vertical)

ELEVATE™ (E.G., BD3632IS, BD3632DSIS)

SERIES	LENGTH	DEPTH	TEMPERATURE	TECHNOLOGY
BD	36	32	- (Refrigerated)	IS
BD	36	32	D (Dry)	SIS (Satellite Instant Systems)

HARMONY (E.G., HMBC4, HMG3953R, HMO5136R)

SERIES	STYLE	LENGTH	HEIGHT	DEPTH	TEMPERATURE
HM	BC (Combo, Convertible)	4'	56-1/4"	34-1/8"	R (Ref.)
HM	G (Glass)	36"	53"		R (Ref.)
HM	O (Open)	51"	36"		R (Ref.)

FUSION (E.G., MD1272SO, MD472DR, MD472F, MD472R)

SERIES	LENGTH	HEIGHT	STYLE	TEMPERATURE
MD	12"	72"	SO (Supply Organizer)	
MD	4'	72"	D (Door)	R (Ref.)
MD	4'	72"		F (Freezer)
MD	4'	72"		R (Ref.)

FUSION (E.G., GLDS8R, GLDSV3R, GLDSS443R, GMDS4R, GMDSV6R, GMSSV452R, GHSS660H, GMG8, GMGV5, GP44IRR)

SERIES	CAPACITY	STYLE	CABINET	GLASS	LENGTH	HEIGHT	TEMPERATURE
G	L (Low)	D (Deli)	S (Service)		8'		R (Ref.)
G	L (Low)	D (Deli)	S (Service)	V (Vertical)	3'		R (Ref.)
G	L (Low)	D (Deli)	SS (Self-Service)		4'	43"	R (Ref.)
G	M (Medium)	D (Deli)	S (Service)		4'		R (Ref.)
G	M (Medium)	D (Deli)	S (Service)	V (Vertical)	6'		R (Ref.)
G	M (Medium)		SS (Self-Service)	V (Vertical)	4'	52"	R (Ref.)
G	H (High)		SS (Self-Service)		6'	60"	H (Hot)
G	M (Medium)	G (Gravity Coil)			8'		
G	M (Medium)	G (Gravity Coil)		V (Vertical)	5'		
G		P (Prep)			4'	41"	RR (Ref. Upper/Lower)

OASIS® (E.G., C3Z3667)

SERIES	TEMPERATURE	LENGTH	HEIGHT
C	3Z (3 Zone)	36"	67"

OASIS® (E.G., B47R, B37D, B2432H, BN37R, BD3632, C43R-CH, CN33R-UC, COU2757R, FSE460R, FSC660R, FSI660R, MI44R, MI44RF)

SERIES	STYLE	LENGTH	HEIGHT	DEPTH	TEMPERATURE	COUNTER HEIGHT
B		4'	7'		R (Ref.)	
B		3'	7'		D (Dry)	
B		24"		32"	H (Hot)	
B	N (Narrow)	3'	7'		R (Ref.)	
B	D (Door)	36"		32"		
C		4'	3'		R (Ref.)	-CH(Counter Height)
C	N (Narrow)	3'	3'		R (Ref.)	-UC (Under Counter)
C	OU (Over/Under)	27"	57"		R (Ref.)	
FS	E (End Cap)	4'	60"		R (Ref.)	
FS	C (Combination)	6'	60"		R (Ref.)	
FS	I (Island)	6'	60"		R (Ref.)	
M	I (Island)	4'		4'	R (Dual-Temp, Ref.)	
M	I (Island)	4'		4'	RF (Tri-Temp Ref/ Freezer)	

GROCERANT (E.G., FB4S-3R, FB8SS-6H)

SERIES	LENGTH	CABINET	PANS	TEMPERATURE
FB	4'	S (Service)	3	R (Ref.)
FB	8'	SS (Self-Service)	6	H (Hot)

IMPULSE (E.G., CGS2830, CGSV4522)

SERIES	STYLE	CABINET	GLASS	LENGTH	HEIGHT
C	G (Glass)	S (Service / Self-Service)		28"	30"
C	G (Glass)	S (Service / Self-Service)	V (Vertical)	45"	22"

REVEAL® (E.G., NR3633DSSV, NR3651RRSSV, NR4855HSV)

SERIES	STYLE	LENGTH	HEIGHT	TEMPERATURE	CABINET	GLASS
N	R	36"	33"	D (Dry)	SS (Self-Service)	V (Vertical)
N	R	36"	51"	RR (Ref. Upper/Lower)	SS (Self-Service)	V (Vertical)
N	R	48"	55"	H (Hot)	S (Service)	V (Vertical)

REVEAL® (E.G., NE3613RSV, NE4835HSV)

**Height is measured above the counter.*

SERIES	STYLE	LENGTH	HEIGHT*	TEMPERATURE	CABINET	GLASS
N	E	36"	13"	R (Ref.)	S (Service)	V (Vertical)
N	E	48"	35"	H (Hot)	S (Service)	V (Vertical)



[LEARN MORE](#)

structuralconcepts.com
product.info@structuralconcepts.com

Structural Concepts®

DELIVERING FRESH. ALWAYS.™