

# Nomenclature Charts

Structural Concepts®

DELIVERING FRESH. ALWAYS.™

## ADDENDA® (E.G., CB5282, PC5682)

SERIES	LENGTH	HEIGHT
CB	52"	82"
PC	56"	82"

## BLEND® (E.G., NM4855RSSV, NM7255RSSA, NM7255HSSV, NM7255DSSV)

SERIES	CAPACITY	LENGTH	HEIGHT	TEMPERATURE	CABINET	GLASS
N	M (Module)	48"	55"	R (Ref.)	SS (Self-Service)	V (Vertical)
N	M (Module)	72"	55"	R (Ref.)	SS (Self-Service)	A (Angled)
N	M (Module)	72"	55"	H (Hot)	SS (Self-Service)	V (Vertical)
N	M (Module)	72"	55"	D (Dry)	SS (Self-Service)	V (Vertical)

## ELEVATE™ (E.G., BD3632IS, BD3632DSIS)

SERIES	LENGTH	DEPTH	TEMPERATURE	TECHNOLOGY
BD	36	32	- (Refrigerated)	IS
BD	36	32	D (Dry)	SIS (Satellite Instant Systems)

## HARMONY (E.G., HMBC4, HMG3953R, HMO5136R)

SERIES	STYLE	LENGTH	HEIGHT	DEPTH	TEMPERATURE
HM	BC (Combo, Convertible)	4'	56-1/4"	34-1/8"	R (Ref.)
HM	G (Glass)	36"	53"		R (Ref.)
HM	O (Open)	51"	36"		R (Ref.)

**FUSION** (E.G., MD1272SO, MD472DR, MD472F, MD472R)

SERIES	LENGTH	HEIGHT	STYLE	TEMPERATURE
MD	12"	72"	SO (Supply Organizer)	
MD	4'	72"	D (Door)	R (Ref.)
MD	4'	72"		F (Freezer)
MD	4'	72"		R (Ref.)

**FUSION** (E.G., GLDS8R, GLDSV3R, GLDSS443R, GMDS4R, GMDSV6R, GMSSV452R, GHSS660H, GMG8, GMGV5, GP44IRR)

SERIES	CAPACITY	STYLE	CABINET	GLASS	LENGTH	HEIGHT	TEMPERATURE
G	L (Low)	D (Deli)	S (Service)		8'		R (Ref.)
G	L (Low)	D (Deli)	S (Service)	V (Vertical)	3'		R (Ref.)
G	L (Low)	D (Deli)	SS (Self-Service)		4'	43"	R (Ref.)
G	M (Medium)	D (Deli)	S (Service)		4'		R (Ref.)
G	M (Medium)	D (Deli)	S (Service)	V (Vertical)	6'		R (Ref.)
G	M (Medium)		SS (Self-Service)	V (Vertical)	4'	52"	R (Ref.)
G	H (High)		SS (Self-Service)		6'	60"	H (Hot)
G	M (Medium)	G (Gravity Coil)			8'		
G	M (Medium)	G (Gravity Coil)		V (Vertical)	5'		
G		P (Prep)			4'	41"	RR (Ref. Upper/Lower)

**OASIS®** (E.G., C3Z3667)

**SERIES**

**TEMPERATURE**

**LENGTH**

**HEIGHT**

**C**

3Z (3 Zone)

36"

67"

**OASIS®** (E.G., B47R, B37D, B2432H, BN37R, BD3632, C43R-CH, CN33R-UC, COU2757R, FSE460R, FSC660R, FSI660R, MI44R, MI44RF)

**SERIES**

**STYLE**

**LENGTH**

**HEIGHT**

**DEPTH**

**TEMPERATURE**

**COUNTER HEIGHT**

**B**

4'

7'

R (Ref.)

**B**

3'

7'

D (Dry)

**B**

24"

32"

H (Hot)

**B**

N (Narrow)

3'

7'

R (Ref.)

**B**

D (Door)

36"

32"

**C**

4'

3'

R (Ref.)

-CH(Counter Height)

**C**

N (Narrow)

3'

3'

R (Ref.)

-UC (Under Counter)

**C**

OU (Over/Under)

27"

57"

R (Ref.)

**FS**

E (End Cap)

4'

60"

R (Ref.)

**FS**

C (Combination)

6'

60"

R (Ref.)

**FS**

I (Island)

6'

60"

R (Ref.)

**M**

I (Island)

4'

4'

R (Dual-Temp, Ref.)

**M**

I (Island)

4'

4'

RF (Tri-Temp Ref/  
Freezer)

## GROCERANT (E.G., FB4S-3R, FB4SS-3R)

SERIES	LENGTH	CABINET	PANS	TEMPERATURE
<b>FB</b>	4'	S (Service)	3	R (Ref.)
<b>FB</b>	4'	SS (Self-Service)	3	R (Ref.)

## IMPULSE (E.G., CGS2830, CGSV4522)

SERIES	STYLE	CABINET	GLASS	LENGTH	HEIGHT
<b>C</b>	G (Glass)	S (Service / Self-Service)		28"	30"
<b>C</b>	G (Glass)	S (Service / Self-Service)	V (Vertical)	45"	22"

## REVEAL® (E.G., NE3613RSV, NR3633DSSV, NR3651RRSV, NE4835HSV, NR4855HSV, NR4847RSSV.MOB)

SERIES	STYLE	LENGTH	HEIGHT	TEMPERATURE	CABINET	GLASS	SPECIALS
<b>N</b>	E	36"	13"	R (Ref.)	S (Service)	V (Vertical)	
<b>N</b>	R	36"	33"	D (Dry)	SS (Self-Service)	V (Vertical)	
<b>N</b>	R	36"	51"	RR (Ref. Upper/Lower)	S (Service)	V (Vertical)	
<b>N</b>	E	48"	36"	H (Hot)	S (Service)	V (Vertical)	
<b>N</b>	R	48"	55"	H (Hot)	S (Service)	V (Vertical)	



LEARN MORE

structuralconcepts.com  
product.info@structuralconcepts.com

**Structural Concepts®**  
DELIVERING FRESH. ALWAYS.™