

# Technical Information

Elevate - Ambient Autonomous Retail Merchandiser

Structural Concepts®

DELIVERING FRESH. ALWAYS.™

## DIMENSIONS / SHIPPING

Model	L"	L1"	L2"	Est Wt (lbs)
BD3632DIS	N/A	45.375	0.000	N/A

## ELECTRICAL

Model	System Circuit Volts			Ph	Frq	Rated Load Amps	Min Cir Amps	Max OCP Amps	Watts	Wires	NEMA Plug	Amps Lights	Amps Fans	Amps Anti-Sweats	Amps Misc/Refrig/Heat
BD3632DIS	Ambient/Lights (N/A)	Circuit #1	110-120	1	60	1.70	15	15	68	2+G	5-15P or L5-15P	N/A	N/A	N/A	1.70

## REFRIGERATION

Model	Zone	Section	System	Env't	REMOTE REFRIGERATION					GLYCOL / R744 REFRIGERATION			
					SST (°F)	Conv. Rack BTUH	Para. Rack BTUH	Defrost Interval (Hrs)	Defrost Duration	Total GPM	Pressure Drop (psi)	Concent (%)	Liquid Temp (°F)
BD3632DIS	All	Ambient	Ambient/Lights-N/A	Type II	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

## INTENDED ENVIRONMENT

Type II - Designed to operate in ambient conditions of 80°F and 55% relative humidity unless noted otherwise under Env't above.

## IMPORTANT NOTES

1) ARM Form required at time of PO for this standalone unit w/ E-Box.

## WARMEST AVERAGE PRODUCT TEMP & INTENDED USE OF ZONES

Zone	Temp (°F)	Intended Use
1	Ambient	Packaged non-refrigerated products

## REGULATORY


All Models	ETL Listed to UL 751 ETL Listed to CAN/CSA 22.2 No. 128 ETL Sanitation to NSF/ANSI 25
------------	---



# Technical Information

Elevate - Ambient Autonomous Retail Merchandiser

Structural Concepts®  
DELIVERING FRESH. ALWAYS.™



NOTE:  
1. SHELF TRAY DIMENSIONS: 7 1/4" W X 18 1/4" D

NOTE: ALL DIMENSIONS APPROXIMATE

- |   |   |   |
|---|---|---|
|  ELECTRICAL JUNCTION BOX<br>(SUPPLIED WITH 6" LEADS OR POWER CORD).                      |  REFRIGERATION LINE CONNECTION.                |  SELF-CONTAINED CASE SERVICE ACCESS AREA. |
|  LOCATION OF DRAIN TUBE FOR REMOTE REF.<br>ONLY (SUPPLIED WITH 3/4" OR 1 1/2" PVC TUBE). |  REMOTE FLOOR SINK & UTILITIES<br>ACCESS AREA. |  DRY CASE SERVICE ACCESS AREA.            |